



# UTAH DIABETES SELF-MANAGEMENT EDUCATION

**A GUIDANCE MAP FOR UNDERSTANDING  
EVIDENCE-BASED DIABETES SELF-MANAGEMENT  
EDUCATION (DSME) PROGRAMS**



Healthy Living Through Environment  
Policy and Improved Clinical Care (EPICC)

# TOOL NAVIGATION OVERVIEW

PURPOSE OF GUIDE.....2

IMPACT OF DIABETES.....2

DIABETES SELF-MANAGEMENT EDUCATION DEFINITION.....3

ADDITIONAL TERMS RELATED TO DSME.....3

    DIABETES SELF-MANAGEMENT TRAINING (DSMT).....3

    DIABETES SELF-MANAGEMENT SUPPORT (DSMS).....3

AADE7 SELF-CARE BEHAVIORS.....4

IMPACT OF DIABETES SELF-MANAGEMENT EDUCATION.....5

WHY BECOME A DSME/T PROVIDER.....6

WHY BECOME AADE ACCREDITED OR ADA RECOGNIZED.....6

HOW DSME/T IS PROVIDED.....7

    MULTI-LEVEL TEAM-BASED APPROACH.....7

GAINING PROGRAM PARTICIPATION.....8-10

    REFERRAL & REGISTRATION.....8

    CRITICAL TIMES TO PROVIDE DSME/T.....8

    DMSE/T ALGORITHM OF CARE.....9

    EXAMPLE PATIENT FLOW PROCESS.....10

    IMPORTANCE OF FOLLOW-UP.....10

ELIGIBILITY & REIMBURSEMENT.....11-13

    PATIENT ELIGIBILITY.....11

    MEDICARE, MEDICAID, PRIVATE INSURANCE.....12

    REIMBURSEMENT.....13

    DSME/T CODING.....14

MEDICAL NUTRITION THERAPY (MNT).....15

WHAT'S NEXT?.....16

    ACCREDITATION/RECOGNITION LINKS.....16

    SCHOLARSHIP OPPORTUNITIES.....16

    CONTINUING EDUCATION CREDIT OPPORTUNITIES.....16

COMMUNITY HEALTH WORKERS (CHW).....17

NATIONAL DIABETES PREVENTION PROGRAM (NDPP).....18

ADDITIONAL INFORMATION, RESOURCES, & CONTACTS.....19

EXAMPLE DSME/T REFERRAL FORM.....20

REFERENCES.....21



# DIABETES SELF-MANAGEMENT EDUCATION

Diabetes Self-Management Education (DSME) is the active, ongoing process of facilitating the knowledge, skill, and ability necessary for diabetes self-care.<sup>1</sup> Guided by evidence-based standards, this process incorporates the needs, goals, and life experiences of the person with diabetes into a collaborative plan for managing diabetes and preventing complications. The process changes and adapts as a person's needs, priorities, and situations change. The overall objectives of DSME are to support informed decision-making, improve self-care behaviors, encourage effective problem-solving and active collaboration with the healthcare team, and to improve clinical outcomes, health status and quality of life.<sup>1,3</sup>

Diabetes Self-Management Education (DSME) is an essential component of diabetes therapy because it can produce both behavioral and biological benefits and measurable outcomes. Effective self-management education and ongoing self-management support enable people living with, or at risk for, diabetes to make informed decisions and to assume responsibility for the day-to-day management of their disease or risk factors.<sup>1</sup> DSME programs are educational programs, taught by skilled health professionals, in group settings or one-on-one. DSME classes are most often held at a hospital, clinic, pharmacy, or community setting. Certified diabetes educators utilize DSME curricula to educate and engage participants in informed decision-making, reinforce self-care, and teach problem-solving and collaborative behaviors with their healthcare providers to improve clinical outcomes.

## ADDITIONAL TERMS RELATED TO DSME

The following terms are commonly used interchangeably when referring to Diabetes Self-Management Education.

### DIABETES SELF-MANAGEMENT TRAINING (DSMT)

Diabetes Self-Management Training (DSMT) is a term used by the Centers for Medicaid and Medicare Services (CMS) for determining coverage and reimbursement of DSME and completing documentation. Diabetes Self-Management Training (DSMT) is often used interchangeably with Diabetes Self-Management Education (DSME) and may be referred to as DSME/T. For this purpose, DSME will be referred to as DSME/T throughout the remainder of the toolkit.

### DIABETES SELF-MANAGEMENT SUPPORT (DSMS)


Diabetes Self-Management Support (DSMS) consists of activities that assist the person with diabetes in implementing and sustaining the behaviors needed to manage his or her condition on an ongoing basis. The type of support provided by involved healthcare providers can be behavioral, educational, psychosocial, or clinical.<sup>4</sup>

---

## AADE7 SELF-CARE BEHAVIORS

Diabetes is a complex and serious disease, which may present challenges with ongoing successful and effective management. The American Association of Diabetes Educators (AADE) developed seven self-care behaviors (AADE7) that compose the core of all DSME/T programs and provide guidance for focus areas that will be targeted in patients with diabetes to help them navigate a personalized plan and maximize health.<sup>5</sup> The AADE7 are widely recognized as the guiding principles for participants in a DSME/T program.

For detailed information on each self-care behavior, visit the AADE7 Self-Care Behavior resource: <https://www.diabeteseducator.org/patient-resources/aade7-self-care-behaviors>.





## IMPACT OF DIABETES SELF-MANAGEMENT EDUCATION

### PATIENT BENEFITS

Through DSME/T, patients gain several critical benefits to successful self-management of their diabetes. Patients who receive DSME/T:<sup>3,4</sup>

- Have improved hemoglobin A1C levels.
- Have better control of blood glucose and are more likely to self-monitor as prescribed.
- Are more likely to use primary care and prevention services.
- Have higher rates of medication adherence.
- Have better control of blood pressure and cholesterol levels.
- Have lower overall health costs.
- Have fewer complications related to their diabetes.
- Are more likely to adopt healthy lifestyle behaviors, such as good nutrition and physical activity.

## WHY BECOME A DSME/T PROVIDER

Diabetes Self-Management Education/Training (DSME/T) is an evidence-based intervention that increases the knowledge and skills of patients with diabetes to improve health outcomes, their ability to self-manage their disease, and improve their quality of life.<sup>1,3</sup> **The DSME/T program healthcare team holds an impactful role in helping people living with, or at risk for, diabetes to:**<sup>1</sup>

- Understand the diabetes disease process and the risks and benefits of treatment options.
- Incorporate nutritional management and healthy eating behaviors into their lifestyles.
- Incorporate physical activity into their lifestyles.
- Practice proper and safe medication adherence for maximum effectiveness.
- Perform self-monitoring blood glucose and blood pressure tests, and understand and interpret the results to be used for self-management decision making.
- Understand how to prevent, detect, and treat hyper/hypoglycemia.
- Understand how to prevent, detect, and seek treatment for acute and chronic complications.
- Develop strategies for coping with diagnosis and ongoing stress associated with living with diabetes.
- Develop strategies for promoting healthy behaviors and positive lifestyles.



## WHY BECOME AADE ACCREDITED OR ADA RECOGNIZED

In addition to the impactful ways in which DSME/T can improve disease management for the patient, the following are **benefits of being a DSME/T provider:**<sup>3</sup>

- DSME/T is a billable service through Medicare, Medicaid, and most private insurers.
- May help providers/clinicians meet quality improvement goals and improve population health.
- Improved patient health status reporting.
- Cost-effective by reducing hospital admissions and readmissions.
- Improved clinic/care flow capacity with less recurring visits.

# HOW DSME/T IS PROVIDED

## MULTI-LEVEL TEAM-BASED APPROACH

DSME/T is a team-based approach, where clinicians and educators work together to promote the best possible health outcomes for patients. Diabetes educators are licensed healthcare professionals including physicians, pharmacists, registered nurses, and registered dietitians, and may be found in a variety of settings such as pharmacies, hospitals, clinics, or community settings.<sup>6</sup> Although not required for certification through the American Association of Diabetes Educators (AADE) or the American Diabetes Association (ADA), it is highly recommended that at least one of the DSME/T team providers be a Certified Diabetes Educator (CDE). For more information on becoming a CDE visit the National Certification Board for Diabetes Educators website <http://www.ncbde.org/>.

All DSME/T programs are required to have designated, qualified healthcare professionals to provide DSME/T classes. **The minimum requirements for DSME/T program personnel include:**

PHARMACY	ALL OTHER SETTINGS
Pharmacist	Physician <b>(for billing purposes only)</b>
Registered Dietitian (RD) <b>(only if providing Medical Nutrition Therapy (MNT))</b>	Registered Dietitian (RD) <b>AND/OR</b> Registered Nurse (RN)

In addition to certified DSME/T providers, **Community Health Workers (CHWs)** may also play an important and beneficial role in bridging gaps and needs for DSME/T efforts. CHWs have a unique ability to serve as “bridges” between community members and healthcare services and provide additional benefits such as:<sup>7</sup>

- Overcoming language barriers for maximum understanding and communication.
- Meeting cultural and traditional needs to achieve positive health outcomes.
- Improving time management and program efficiency by providing basic diabetes education.
- Facilitating transportation to services and addressing other barriers to services.

## EXAMPLE OF A MULTI-LEVEL DSME/T TEAM

The following provides a broad example of how a multi-level healthcare team may be constructed to provide a DSME/T program in a clinic, hospital, or pharmacy setting.

STAFF	DSME/T ROLE
Physician, Pharmacist, or Mid-Level Provider	<ul style="list-style-type: none"> <li>• Prescribe medication</li> <li>• Order laboratory tests</li> <li>• Diagnose disease</li> <li>• Make referrals to DSME/T</li> <li>• Coordinate diabetes education/clinic/research</li> <li>• Teach DSME/T classes</li> </ul>
RN or RD	<ul style="list-style-type: none"> <li>• Provide 1:1 education</li> <li>• Teach DSME/T classes</li> <li>• Conduct assessments</li> </ul>
LPN or MA	<ul style="list-style-type: none"> <li>• Obtain vital measurements</li> <li>• Conduct meter training</li> <li>• Perform lab tests</li> </ul>
CHW	<ul style="list-style-type: none"> <li>• Review self-care steps</li> <li>• Teach food label reading</li> <li>• Suggest culturally relevant exercise and assist patients in finding resources</li> </ul>

# GAINING PROGRAM PARTICIPATION

## REFERRAL & REGISTRATION PROCESS

The prevention, detection, and treatment of diabetes is a complex, team-based care process that is best supported through multi-level involvement from healthcare professionals. Therefore, creating a strong network of contributing providers is an important step for building a successful DSME/T program.

As a provider of DSME/T services, you may develop your own process for receiving and processing external referrals from other providers, as well as an internal process for identifying patients you serve to refer to your DSME/T program. Generally, DSME/T providers are most successful in closing gaps in the referral and registration process when roles and responsibilities of the healthcare team are clear. For example, consider designating one team member as the referral processor for all incoming DSME/T program referrals.

## IDEAS FOR INCREASING EXTERNAL REFERRALS

- Promote your program to local health clinics and hospitals which are not providing DSME/T.
- Market your program to individual providers who treat patients with diabetes and provide resources for referring (e.g. link to referral form, explanation of referral process).
- Offer classes at varying times of the day such as evening, weekends, or a day-long program.
- Promote your program by creating a website, brochures, handout materials, quarterly newsletters, and utilizing social media.
- Foster relationships with employers with Worksite Wellness Programs.
- Create an engaging program for patients and become recognized in the community.

Please see the attached DSME/T and Medical Nutrition Therapy (MNT) Services Order Form example at the end of this guide. For additional information on referrals, please visit: <https://www.diabeteseducator.org/practice/provider-resources/make-a-referral>.

## CRITICAL TIMES TO PROVIDE DSME/T<sup>4</sup>

There are four identified critical times to assess, provide, and adjust Diabetes Self-Management Education/Training.

1. With a new **diagnosis** of Type 2 Diabetes.
2. **Annually** for health maintenance and prevention of complications.
3. When new **complicating factors** influence self-management.
4. When **transitions** in care occur.

Below are the action steps for the Algorithm of Care for DSME/T. For the complete guidance chart, see Powers et al. Diabetes Self-Management Education and Support in Type 2 Diabetes: A Joint Position Statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *The Diabetes Educator OnlineFirst*. 2015;1-14. <http://professional2.diabetes.org/admin/UserFiles/2015%20ERP/DSME-algorithm-slides.pdf>.

# DSME/T ALGORITHM OF CARE



## Four Critical Times to Assess, Provide, and Adjust DSME/T

<b>1</b> <b>At Diagnosis</b>	<b>2</b> <b>Annual</b> assessment of education, nutrition, and emotional needs	<b>3</b> When new <b>complication factors</b> influence self-management	<b>4</b> When <b>transitions</b> in care occur
---------------------------------	-----------------------------------------------------------------------------------	----------------------------------------------------------------------------	---------------------------------------------------


## When Referral to DSME/T Should be Considered

<ul style="list-style-type: none"> <li>Newly diagnosed. All newly diagnosed individuals with Type 2 Diabetes should receive DSME/T.</li> <li>Ensure that both nutritional and emotional health are appropriately addressed in education or make separate referrals.</li> </ul>	<ul style="list-style-type: none"> <li>Needs review of knowledge, skills, and behaviors.</li> <li>Long-standing diabetes with limited prior education.</li> <li>Change in medication, activity, or nutritional intake.</li> <li>HbA1c out of target.</li> <li>Maintain positive health outcomes.</li> <li>Unexplained hypo/hyperglycemia.</li> <li>Planning pregnancy or pregnant.</li> <li>For support to attain and sustain behavior change(s).</li> <li>Weight or other nutrition concerns.</li> <li>New life situations and competing demands.</li> </ul>	<b>Change In:</b> <ul style="list-style-type: none"> <li>Health conditions such as renal disease and stroke, need for steroid, or complicated medication regimen.</li> <li>Physical limitations such as visual impairment, dexterity issues, or movement restrictions.</li> <li>Emotional factors such as anxiety and clinical depression.</li> <li>Basic living needs such as access to food, or financial limitations.</li> </ul>	<b>Change In:</b> <ul style="list-style-type: none"> <li>Living situation such as inpatient or outpatient rehabilitation or now living alone.</li> <li>Medical care team.</li> <li>Insurance coverage that results in treatment change.</li> <li>Age-related changes affecting cognition, self-care, etc.</li> </ul>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## DSME/T: Areas of Focus and Action Steps

Assess cultural influences, health beliefs, current knowledge, physical limitations, family support, financial status, medical history, and literacy, to determine content to provide: <ul style="list-style-type: none"> <li><b>Medications</b>-choices, action, dosing and titration, and side effects.</li> <li><b>Monitoring Blood Glucose (BG)</b>-when to test, interpreting and using glucose pattern management for feedback.</li> <li><b>Physical Activity</b>-safety, short vs. long term goals, recommendations.</li> <li><b>Complication prevention, detection, and treatment.</b></li> <li><b>Nutrition</b>-food and meal planning, purchasing food, proportioning food.</li> <li><b>Risk Reduction</b>-smoking cessation, foot care.</li> </ul>	<ul style="list-style-type: none"> <li>Review and reinforce treatment goals and self-management needs.</li> <li>Emphasize preventing complications and promoting quality of life.</li> <li>Discuss how to adapt diabetes treatment and self-management to new life situations and competing demands.</li> <li>Support efforts to sustain initial behavior changes and cope with the ongoing burden of diabetes.</li> </ul>	<ul style="list-style-type: none"> <li>Provide support for the provision of self-care skills in an effort to delay progression of the disease and prevent new complications.</li> <li>Provide/refer for emotional support for diabetes-related distress and depression.</li> <li>Develop and support personal strategies for behavior change and healthy coping.</li> <li>Develop personal strategies to accommodate sensory or physical limitation(s), adapting to new self-management demands, and promoting health and behavior change.</li> </ul>	<ul style="list-style-type: none"> <li>Identify needed adaptations in diabetes self-management.</li> <li>Provide support for independent self-management skills and self-efficacy.</li> <li>Identify level of significant other involvement and facilitate education and support.</li> <li>Assist with facing challenges affecting usual level of activity, ability to function, health beliefs, and feeling of well-being.</li> <li>Maximize quality of life and emotional support for the patient.</li> <li>Provide education for others now involved in care.</li> <li>Establish communication and follow-up plans with the provider, family, and others involved.</li> </ul>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## EXAMPLE PATIENT FLOW PROCESS<sup>4</sup>



## IMPORTANCE OF FOLLOW-UP<sup>7</sup>

Typically, once a patient receives a diagnosis of diabetes, you (if their provider) or another diagnosing healthcare provider will speak to the patient about the importance of self-care and direct them to complete the critical self-management behaviors such as taking medication, monitoring blood glucose, completing regular physical activity, consuming a healthy diet, and losing weight if necessary. However, research shows that without active follow up and reinforcement, patients are likely to experience challenges to following their doctor's advice.

- **Medication** – only 77 percent of patients with diabetes take insulin as prescribed and 85 percent take other medications as prescribed.
- **Monitoring** – fewer than half – 45 percent – monitor their blood glucose as instructed by their healthcare provider.
- **Exercise and Weight Loss** – only 24 to 27 percent of patients closely follow the instructions from their healthcare provider.

The follow-up for DSME/T may be just as important as the diagnosis and referral itself. By incorporating reminders, follow-up procedures, and reinforcement into office procedures and daily tasks, clinicians and DSME/T providers may greatly increase the likelihood that patients will successfully enroll and participate in a Diabetes Self-Management Education program, and increase their ability to improve their knowledge and skill to manage their disease.

## ELIGIBILITY & REIMBURSEMENT

Reimbursement for DSME/T provided by a recognized/accredited program is available from the Centers for Medicare and Medicaid Services (CMS) and many private payers.

**Please Note:** Although DSME/T is the preferred term, for the purpose of reimbursement and documentation, CMS requires the use of Diabetes Self-Management Training (DSMT).

In order to be eligible for DSME/T reimbursement, DSME/T programs must be recognized or accredited by a CMS designated National Accreditation Organization (NAO).<sup>3</sup> The two current NAO's are the American Association of Diabetes Educators (AADE) and the American Diabetes Association (ADA).

Additionally, criteria for patient eligibility in DSME/T participation must also be acknowledged and met in order for coverage to be approved.

### PATIENT ELIGIBILITY

In order for a patient to qualify for DSME/T coverage, he or she must have:

1. A **diagnosis** of Type 1, Type 2, or Gestational Diabetes, **OR**
2. Been **previously diagnosed** with diabetes before meeting Medicare eligibility requirements **and are now eligible** for coverage, **AND**
3. A **written referral** from a physician or other qualified medical provider.

### DIABETES MAY BE DIAGNOSED USING ANY OF THE FOLLOWING CRITERIA:<sup>5</sup>

TEST	VALUE
<b>Fasting Blood Glucose</b>	≥126 mg/dL on two separate occasions
<b>2-Hour Post-Glucose Challenge</b>	≥200 mg/dL on two separate occasions
<b>Random Glucose Test</b>	>200 mg/dL with symptoms of uncontrolled diabetes

### OTHER CONSIDERATIONS & RISK FACTORS FOR DIABETES SCREENING

- Overweight/obesity (BMI ≥25)
- Physical inactivity
- First-degree relative with diabetes
- High risk race/ethnicity
- Women who delivered a baby weighing ≥9 lb or were diagnosed with gestational diabetes
- Hypertension (≥140/90 mmHg) or on therapy for hypertension
- Abnormal lipid panel (HDL ≤35 mg/dL and/or Triglyceride ≥200 mg/dL)
- A1C ≥5.7%

## MEDICARE BENEFIT OVERVIEW<sup>3</sup>

Medicare Part B covers diabetes outpatient self-management services only if the physician or qualified non-physician practitioner (the "certified provider") who is managing the beneficiary's diabetes certifies that such services are needed by sending an **original referral form to the diabetes education program**.

The order must be part of a comprehensive plan of care and describe the training that the provider is ordering and/or any special concerns such as the need for general training or insulin-dependence.

Outpatient diabetes self-management training is classified as initial or follow-up training. The following summarizes billable coverage for DSME/T for Medicare:

INITIAL TRAINING	FOLLOW-UP TRAINING
<p>When a <b>beneficiary has not yet received initial training</b> (no history of billed DSME/T).</p> <ul style="list-style-type: none"><li>▪ <i>Eligible to receive 10 hours of initial DSME/T</i> training within a continuous 12-month period (does not need to be on calendar-year basis).</li><li>▪ The 10 hours of initial training may be provided in any combination of half-hour increments, and less than 10 hours of initial training may be used in the 12-month period.</li><li>▪ <i>9 hours of the initial training must be in a group setting</i> consisting of 2 to 20 individuals (not required to all be Medicare beneficiaries).</li><li>▪ <i>1 hour of initial training must be provided on an individual basis</i> for the purpose of conducting an individual assessment and providing specialized training.</li></ul>	<p>When a <b>beneficiary has completed and been billed for initial 10 hours of DSME/T</b>.</p> <ul style="list-style-type: none"><li>▪ Medicare allows <i>2 hours of follow-up training per year</i> (starting with the calendar year following the year in which initial training was completed).</li><li>▪ The 2 hours of follow-up training may be given in any combination of half-hour increments on either an individual or group basis.</li></ul> <p><b>*Note – a new written referral is needed annually for any follow-up training to be covered and/or reimbursed.</b></p>

## UTAH MEDICAID

DSME/T is available to all Utah Medicaid members, such as Traditional Medicaid clients, Non-Traditional Medicaid clients, and Primary Care Network (PCN) clients, who have diabetes. Guidelines for billing and referring are the same as implemented for Medicare. Additionally, the same allowances for DSME/T training coverage applies for initial and follow-up training hours. At the time of accreditation from AADE or recognition from ADA, the DSME/T provider must notify Utah Medicaid and provide a copy of the certificate.

For more information, please visit <http://www.rules.utah.gov/publicat/code/r414/r414-90.htm>.

## UTAH PRIVATE INSURANCE

All Utah private insurance plans provide DSME/T benefits to their members. Private insurers generally follow the same guidelines for billing and referrals as Medicare. However, please verify patient coverage on an individual basis with private insurers to confirm benefits prior to billing.

## REIMBURSEMENT<sup>1</sup>

In order to receive reimbursement for DSME/T through Medicare and Medicaid, the provider must be a Medicare and/or Medicaid provider and must have a National Provider Identification (NPI) number, in addition to becoming accredited/recognized through one of the National Accreditation Organization (NAO) locations. Medical entities and healthcare providers eligible for separate payment of outpatient DSME/T include:

- Private provider practices
- Pharmacies
- Hospital outpatient departments
- Outpatient clinics
- Skilled nursing facilities
- Durable medical equipment (DME) suppliers
- Home health agencies
- Federally Qualified Health Centers

In order for a provider to bill for DSME/T, a number of key requirements must be in place:

- Beneficiary must have diagnosis of diabetes.
- Beneficiary must not have been billed for or received DSME/T in the past.
- A written referral for DSME/T provided by physician or qualified non-physician provider.
- DSME/T program must have accreditation/recognition from AADE or ADA (the only recognized accrediting organizations by CMS).
- DSME/T program must have a partnership with a Medicare/Medicaid provider that is able to bill the Medicare/Medicaid program.
- Recognition by CMS of the accredited Medicare provider location where the DSME/T will be provided (DSME/T provider must notify CMS of accreditation/recognition from ADA or AADE).

The Medicare reimbursement rates are made under Medicare's Physician Fee Schedule and vary by region. The reimbursement rates and restrictions are updated each calendar year.

Please visit the CMS website for current rates specific to your region

<https://www.cms.gov/apps/physician-fee-schedule/license-agreement.aspx>.

### EXAMPLE OF 2016 UTAH MEDICARE RATE REIMBURSEMENT FOR THE INITIAL YEAR

CODE	DESCRIPTION	BASE REIMBURSEMENT	UNIT	TOTAL REIMBURSEMENT
<b>G0108</b>	DSMT, individual, initial or follow-up 30 min. increments	\$52.14	1 hour	\$104.28
<b>G0109</b>	DSMT, group, initial or follow-up 30 min. increments	\$13.99	9 hours	\$251.82
			10 hours	<b>\$356.10</b>

## DSME/T CODING<sup>1</sup>

Depending on the type of office visit and location in the DSME/T referral process, providers may have use for several Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology (CPT) and International Classification of Disease (ICD) codes to bill for screening and counseling. Additionally, billing processes vary across different settings. It is recommended that you discuss the process with the billing personnel for your respective location to understand its structure. The following is a list of commonly used billing codes within the DSME/T process:<sup>8</sup>

HCPCS	DESCRIPTION
<b>G0108</b>	DSMT, individual, initial or follow-up 30 min. increments
<b>G0109</b>	DSMT, group, initial or follow-up 30 min. increments
ICD	DESCRIPTION
<b>V77.1</b>	Diabetes Screening
<b>790.2</b>	Abnormal Glucose
<b>790.21</b>	Impaired Fasting Glucose
<b>790.22</b>	Impaired Glucose Tolerance (oral)
<b>790.29</b>	Other Abnormal Glucose NEC
<b>278.00</b>	Obesity
<b>278.02</b>	Overweight
CPT	DESCRIPTION
<b>82947</b>	Fasting Plasma Glucose Test
<b>82950</b>	Post-Meal Glucose (2-hour plasma glucose; 2hPG)
<b>82951</b>	Oral Glucose Tolerance (3 specimens with 2 hr value included)
<b>83036</b>	Hemoglobin A1C

## MEDICAL NUTRITION THERAPY (MNT)<sup>1</sup>

Medical Nutrition Therapy (MNT) is a complementary service to DSME/T and focuses specifically on nutritional therapy for those beneficiaries diagnosed with diabetes or kidney disease. MNT targets individualized education on nutrition and therapies related to diabetes and kidney disease, where personalized plans are tailored to the needs of the beneficiary.

MNT is **provided by a Registered Dietitian (RD) or nutritional professional** and:

- Provides 3 initial hours of therapy in the 12-month period following the initiation of services.
- An additional 2 hours per year of follow-up is allowed after the initial 12-month period.
- In some cases, additional hours may be approved if the treating physician or qualified non-physician provider determines there is a medical necessity for continuation of MNT services.
- MNT can be provided in individual or group settings in increments no less than 15 minutes.

**Similar to DSME/T, a written referral for MNT is required from the treating physician. Unlike DMSE/T, non-physician providers are not eligible to provide a referral for MNT services.**

Because DMSE/T and MNT are complementary services designed to work in conjunction with one another, they can be provided to beneficiaries concurrently. However, it is important to **note that DSME/T and MNT cannot be billed on the same service date.**

### COMMON CODES FOR MNT

HCPCS	DESCRIPTION
97802	Individual MNT, Initial
97803	Individual MNT, Follow-Up
97804	Group MNT
G0270	Individual MNT, Beyond Initial 3 hours or Follow-Up 2 hours
G0271	Group MNT, Beyond Initial 3 hours or Follow-Up 2 hours

## WHAT'S NEXT?

Are you interested in becoming an accredited or recognized Diabetes Self-Management Education provider? There are two accrediting/recognition programs for becoming a DSME/T provider: the American Diabetes Association (ADA) and the American Association of Diabetes Educators (AADE). Both programs meet the 10 guiding principles of the National Standards for Diabetes Self-Management Education (NSDSME), which ensure quality, evidence-based diabetes self-management education.

---

## SCHOLARSHIP OPPORTUNITIES

The Utah Department of Health awards scholarships to providers wishing to become an accredited/recognized DSME/T program provider. The one-time scholarship covers all initial application costs to become accredited/recognized through AADE or ADA. It is the responsibility of the provider to prepare required materials and complete the application process. For more information on receiving a scholarship from the Utah Department of Health, please contact Brittany Ly at [bly@utah.gov](mailto:bly@utah.gov).

---

## ACCREDITATION/RECOGNITION LINKS

The following are helpful resources for becoming more familiar with the application process, accessing beneficial tools, and taking the first steps to becoming a DSME/T provider.

Navigate each link below to view step-by-step guidance on becoming accredited/recognized, helpful checklists, review frequently asked questions and examples, learn about the 10 standards, and access provider resources and educator tools.



American Association  
of Diabetes Educators

### AMERICAN ASSOCIATION OF DIABETES EDUCATORS (AADE)

[https://www.diabeteseducator.org/practice/diabetes-education-accreditation-program-\(deap\)/applying-for-accreditation](https://www.diabeteseducator.org/practice/diabetes-education-accreditation-program-(deap)/applying-for-accreditation)



### AMERICAN DIABETES ASSOCIATION (ADA)

<http://professional.diabetes.org/diabetes-education%20>

---

## CONTINUING EDUCATION CREDIT OPPORTUNITIES

The Utah Department of Health provides a **FREE** Diabetes Webinar Series, which provides 11 of the 15 continuing education credits required annually for DSME/T providers. The webinar provides CEUs for Registered Nurses, Registered Dietitians, Pharmacists, CHES providers, and more on a monthly basis at no cost. For more information on the webinars and to sign up to receive registration information, please visit

<http://choosehealth.utah.gov/healthcare/continuing-education/diabetes-webinar-series.php>.

## COMMUNITY HEALTH WORKERS (CHW)<sup>9</sup>

A community health worker (CHW) is a frontline public health worker who is a trusted member of and/or has an unusually close understanding of the community served.

This trusting relationship enables the CHW to serve as a liaison between health/social services and the community to facilitate access to services and improve the quality and cultural competence of services provided. A CHW is not necessarily a clinical professional, but receives training to build individual and community capacity by increasing health knowledge and self-sufficiency through a range of activities such as outreach, community education, informal counseling, social support, and advocacy.

### Other names for CHWs:

- Community-Based Doula
- Community Connector
- Community Health Advocate
- Community Outreach Worker
- Family Health Advocate
- HIV Peer Counselor
- Lay Health Advisor
- Maternal Child Health Worker
- Parent Support Partner
- Patient Advocate
- Patient Educator
- Patient Health Navigator
- Peer Support Specialist
- Peer Educator
- Promotore(a)
- Recovery Coach
- Wellness Coach

## HOW CAN COMMUNITY HEALTH WORKERS IMPACT YOUR DSME/T PROGRAM EFFORTS?

CHWs have the potential to address many challenges that healthcare organizations and vulnerable communities share, including but not limited to:

- Navigate patients from the hospital setting to accessible preventive and primary care.
- Reach beyond the clinic walls to address root causes of poorly controlled chronic disease.
- Gain patients' trust and improve their experience of care.
- Strengthen social capital and build capacity within communities.
- Assist in the management and efficiency of the DSME/T program.
- Teach a variety of DSME/T topics and provide follow-up education to patients on self-management behaviors and skills.
- Perform important non-clinical tasks more cost-effectively than expensive clinically-trained personnel.

For additional information on Community Health Workers and incorporating these individuals into your DSME/T program visit <http://choosehealth.utah.gov/healthcare/term-based-care/community-health-workers.php> or contact Anna Guymon, *Community Health Worker Specialist*, at the Utah Department of Health (see "Additional Information" for contact).

# NATIONAL DIABETES PREVENTION PROGRAM<sup>10</sup>

The National Diabetes Prevention Program (NDPP) is an evidence-based lifestyle change program with the goal to prevent or delay the development of Type 2 Diabetes and heart disease among at risk Utahns.

## PROGRAM BENEFITS

- Can help people cut their risk of developing Type 2 Diabetes in half.
- NDPP research has shown that modest behavior changes helped participants lose 5 percent to 7 percent of their body weight (10-14 lbs. for a 200 lb. person).
- These lifestyle changes reduced the risk of developing Type 2 Diabetes by 58 percent of people with prediabetes.
- Participants work with a lifestyle coach in a group setting to receive a 1-year lifestyle change program that includes 16 core sessions (usually 1 per week) and 6 post-core sessions (1 per month).

## ELIGIBLE PARTICIPANTS

The targets for this program are adults 18 and older who are at high risk for developing Type 2 diabetes based on fasting glucose or A1C or via a short risk survey. You can download and print the [Centers for Disease Control and Prevention Prediabetes Infographic](http://www.cdc.gov/diabetes/pubs/statsreport14/prediabetes-infographic.pdf) (<http://www.cdc.gov/diabetes/pubs/statsreport14/prediabetes-infographic.pdf>) for more information.

## NATIONAL DPP FEATURES

- Trained lifestyle coach
- Centers for Disease Control and Prevention (CDC) approved curriculum
- Group support
- 16 weekly meetings
- 6 monthly follow-up meetings

## NATIONAL DIABETES PREVENTION PROGRAM RESOURCES FOR PROFESSIONALS

- The CDC's [National Diabetes Prevention Program](http://www.cdc.gov/diabetes/prevention/) (NDPP) (<http://www.cdc.gov/diabetes/prevention/>)
- The National Association of Chronic Disease Director's (NACDD) [HaltDiabetes.org](http://www.chronicdisease.org/?NDPP_home) website ([http://www.chronicdisease.org/?NDPP\\_home](http://www.chronicdisease.org/?NDPP_home))

## HEALTHCARE PROVIDER RESOURCES

- American Medical Association (AMA) and CDC National DPP Guide: [Preventing Type 2 Diabetes - A guide to refer your patients with prediabetes to an evidence-based diabetes prevention program.](http://choosehealth.utah.gov/documents/pdfs/diabetes/AMA-CDC-DPP-Guide-STAT.pdf) (<http://choosehealth.utah.gov/documents/pdfs/diabetes/AMA-CDC-DPP-Guide-STAT.pdf>)
- [CDC Diabetes Prevention Tools and Resources](http://www.chronicdisease.org/?NDPP_tools) website ([http://www.chronicdisease.org/?NDPP\\_tools](http://www.chronicdisease.org/?NDPP_tools))

## ADDITIONAL INFORMATION

---

### HELPFUL RESOURCES

#### UTAH DEPARTMENT OF HEALTH EPICC PROGRAM WEBSITE

[www.choosehealth.utah.gov](http://www.choosehealth.utah.gov)

#### UTAH LIVING WELL WEBSITE

[www.livingwell.utah.gov](http://www.livingwell.utah.gov)

---

### CONTACT INFORMATION

#### DIABETES SELF-MANAGEMENT EDUCATION

##### **Brittany Ly, MPH**

*Health Program Specialist III*

Healthy Living Through Environment, Policy and Improved Clinical Care (EPICC)

Utah Department of Health

Email: [bly@utah.gov](mailto:bly@utah.gov)

Phone: 801.538.6294

#### COMMUNITY HEALTH WORKERS

##### **Anna Guymon, BS**

*Community Health Worker Specialist*

Healthy Living Through Environment, Policy and Improved Clinical Care (EPICC)

Utah Department of Health

Email: [aguymon@utah.gov](mailto:aguymon@utah.gov)

Phone: 801.538.6423

#### NATIONAL DIABETES PREVENTION PROGRAM (NDPP)

##### **Celsa Bowman, MS**

*Health Program Specialist III*

Healthy Living Through Environment, Policy and Improved Clinical Care (EPICC)

Utah Department of Health

Email: [cbowman@utah.gov](mailto:cbowman@utah.gov)

Phone: 801.538.9409

## EXAMPLE OF DSME/T REFERRAL FORM

Download at <https://www.diabeteseducator.org/practice/provider-resources/make-a-referral>.

# Diabetes Self-Management Education/Training and Medical Nutrition Therapy Services Order Form

### Patient Information

Patient's Last Name	First Name	Middle
Date of Birth ____/____/____	Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female	
Address	City	State Zip Code
Home Phone	Other Phone	E-mail address

Diabetes self-management education and training (DSME/T) and medical nutrition therapy (MNT) are individual and complementary services to improve diabetes care. Both services can be ordered in the same year. Research indicates MNT combined with DSME/T improves outcomes.

### Diabetes Self-Management Education/Training (DSME/T)

Check type of training services and number of hours requested

- Initial group DSME/T:  10 hours or \_\_\_\_ no. hrs. requested  
 Follow-up DSME/T:  2 hours or \_\_\_\_ no. hrs. requested  
 Telehealth

### Patients with special needs requiring individual (1 on 1) DSME/T

Check all special needs that apply:

- Vision  Hearing  Physical  
 Cognitive Impairment  Language Limitations  
 Additional training  additional hrs requested \_\_\_\_  
 Telehealth  Other \_\_\_\_\_

### DSME/T Content

- Monitoring diabetes  Diabetes as disease process  
 Psychological adjustment  Physical activity  
 Nutritional management  Goal setting, problem solving  
 Medications  Prevent, detect and treat acute complications  
 Preconception/pregnancy management or GDM  
 Prevent, detect and treat chronic complications

Medicare coverage: 10 hrs initial DSMT in 12 month period from the date of first class or visit

### DIAGNOSIS

Please send recent labs for patient eligibility & outcomes monitoring

- Type 1  Type 2  
 Gestational  Diagnosis code \_\_\_\_\_

### Complications/Comorbidities

Check all that apply:

- Hypertension  Dyslipidemia  Stroke  
 Neuropathy  PVD  
 Kidney disease  Retinopathy  CHD  
 Non-healing wound  Pregnancy  Obesity  
 Mental/affective disorder  Other \_\_\_\_\_

### Medical Nutrition Therapy (MNT)

Check the type of MNT and/or number of additional hours requested

- Initial MNT  3 hours or \_\_\_\_ no. hrs. requested  
 Annual follow-up MNT  2 hours or \_\_\_\_ no. hrs. requested  
 Telehealth  Additional MNT services in the same calendar year, per RD

Additional hrs. requested \_\_\_\_\_

Please specify change in medical condition, treatment and/or diagnosis:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Medicare coverage: 3 hrs initial MNT in the first calendar year, plus 2 hrs follow-up MNT annually. Additional MNT hours available for change in medical condition, treatment and/or diagnosis.

### Definition of Diabetes (Medicare)

Medicare coverage of DSMT and MNT requires the physician to provide documentation of a diagnosis of diabetes based on one of the following:

- a fasting blood sugar greater than or equal to 126 mg/dl on two different occasions;
- a 2 hour post-glucose challenge greater than or equal to 200 mg/dl on 2 different occasions; or
- a random glucose test over 200 mg/dl for a person with symptoms of uncontrolled diabetes.

Source: Volume 68, #216, November 7, 2003, page 63261/Federal Register.

Other payors may have other coverage requirements.

Signature and NPI # \_\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_

Group/practice name, address and phone: \_\_\_\_\_

Revised 8/2011 by the American Association of Diabetes Educators and the American Dietetic Association.

---

## RESOURCES

1. Funnel M, Brown T, Childs B, et al. National standards for diabetes self-management education. *Diabetes Care*. 2008;31(1):S97-S104.
2. Statistics about diabetes. American Diabetes Association website. <http://www.diabetes.org/diabetes-basics/statistics/?referrer=https://www.google.com/>.
3. Diabetes self-management education resource. National Association of Chronic Disease Directors website. <http://www.chronicdisease.org/?page=DiabetesDSMEresource#Reimbursement>.
4. Powers M, Bardsley J, Cypress M. Diabetes self-management education and support in type 2 diabetes: A joint position statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *Diabetes Educator, Diabetes Care, and Journal of the Academy of Nutrition and Dietetics*. 2015;DOI:10.1177/0145721715588904.
5. The importance of follow-up. American Association of Diabetes Educators website. <https://www.diabeteseducator.org/practice/provider-resources/importance-of-follow-up>.
6. Working with a diabetes educator. American Association of Diabetes Educators website. <https://www.diabeteseducator.org/practice/provider-resources/working-with-a-diabetes-educator>.
7. AADE7 self-care behaviors. American Association of Diabetes Educators website. <https://www.diabeteseducator.org/patient-resources/aade7-self-care-behaviors>.
8. Standards of medical care in diabetes – 2015. *Diabetes Care*. 2015;38(1):S1-S93.
9. Community health workers. Healthy Living Through Environment, Policy, and Improved Clinical Care Program website. <http://choosehealth.utah.gov/healthcare/term-based-care/community-health-workers.php>.
10. National diabetes prevention program. Healthy Living Through Environment, Policy, and Improved Clinical Care Program website. <http://choosehealth.utah.gov/your-health/lifestyle-change/diabetes-prevention-program.php>.



[choosehealth.utah.gov](http://choosehealth.utah.gov)

**This toolkit is being made available to you by the Healthy Living Through Environment Policy and Improved Clinical Care (EPICC) Program at the Utah Department of Health.**

*2017*